

OpenSIPS, Cloud Solutions.

Ali Pey

August 4, 2014

**Cloud Services for Business** 

















- eFax®
- eVoice®
- FuseMail®
- Campaigner®
- KeepItSafe®
- Onebox®
- www.j2.com

















- **Trivia Questions**
- **OpenSIPS**
- Cloud
- Redundancy and High Availability
- Question?

















# **j2**) Trivia Question

Incoming calls from SIP Phones should be routed to a different Freeswitch server based on the destination number, e.g. 4xxx goes to FS1, 5xxx goes to FS2 and so on. What's the best way to do this?



# Trivia Question 2

Calls From Carriers Need to reach a different set of SIP Phones based on the destination dialed.





















Same Rules on both directions?



















History


















- IP: Firewalls, Routers, NATs
- ISDN Gateways: Digital and Analog
- **Electricity: Distribution Panels**
- Water Supply Distribution System
- Airport transits

















When it comes to VoIP, you need OpenSIPS


















- Improved performance
- **Security and Authentication**
- Flexibility and Customization
- NAT
- Redundancy and High Availability (failure detection and re-routing)
- Distribution
- Routing, Rules and Priorities

















# Advantages of using a proxy server (Cont'd)

- Load balancing
- SIP Signaling, Codec and Digit Manipulation
- Scripting
- Resource Allocation
- Rate Limiting
- Media Proxy (or Direct Media Path)

















- No Cost, no licensing fees
- Flexibility, Customization and Integration
- More independence (not depending on a single company)
- Community
  - Wider support
  - Continued enhancements
  - Tools
- In line with future of telecom

















- Call Routing (Rules, Priorities, LCR & Reporting)
- **NAT Traversal**
- Security
- Registrar Server
- SIP Signaling, Codec and Digit Manipulation
- **Load Balancing**
- Failure detection and re-routing
- Scripting
- **Database**
- Management Interface

















- Performance Over 1000 calls per second
- Distributed architecture
- Over 130 Modules
- www.opensips.org
- Learning Curve
- Mailing Lists, Forums, OpenSIPS Summits, etc.


















#### SIP Clients related modules:

- Registrar Server
- Authentication
- Presence Server
- Instant messaging, Jabber, Json, SMS
- NAT Traversal
- Back to Back User Agent (topology hiding)
- Database (mysql, oracle, odbc, postgres)

















# Trunks and Routing

- Dynamic Routing (Prefix base rules, priority, time, distribution, drain mode, failure detection and rerouting)
- Load Balancer (Dispatcher)
- Dial Plan
- SIP MSG OPS
- NAT Traversal
- TLS
- XMPP (SIP to XMPP Gateway)

















#### Utilities

- Rate Limit
- Statistics
- SNMP interface
- SIP Trace
- SIP Capture
- Pike Flood detector
- Perl
- Accounting
- Call Control (PrePaid application module)




































Carries Rain and Thunderstorms



















Sometime there is snow



















- Somewhere Courtesy to IP (Internet Protocol)
  - Multiple geographically different locations
- Safe('r)
  - Emergency Power
  - Monitored
  - More Expensive and Redundant Cooling Systems
  - Secured
  - There is Higher Availability
  - Redundancy

















#### Redundant

- Device and Service Level Redundancy
- Disaster Recovery (Across multiple locations)

### Cheaper

- Shared (Colo)


















# **Basic Network Diagram**


















































## Cloud Solution













**Analog Gateways** 



**Digital Gateways** 



T1/E1/Analog



**PSTN** 



#### Questions?

